

REMINDER

Access Guichet ID-ASD-PD for the 5 Montreal CIUSSS

Documents required to open a file :

Wait time will begin as soon as we receive all four of the following criterias

Please note that all incomplete request will be returned to the referent

- Completed Service Request Form
- Health insurance card number with expiration date (RAMQ)
- Authorization to release information contained in the medical record form
- Document confirming the diagnosis : GDD, ID, ASD, PD

DOCUMENT LIST NEEDED IN ORDER TO EVALUATE SERVICE REQUESTS

- ACCESS GUICHET ID-ASD-DP SERVICE REQUEST
- or
- INTER-INSTITUTIONAL SERVICE REQUEST (DSIE)

Disability Type	Mandatory Documents
Physical Disability (PD) <ul style="list-style-type: none">• Services offered by your CLSC (specified services)	Eligibility criterias remain unchanged Please send your request to your CSSS
<ul style="list-style-type: none">• Services offered by your Rehabilitation Center (specialized services)	Eligibility criterias to obtain services within a rehabilitation center remain the same as before. As needed, you can refer directly to your designated Access Guichet ID-ASD-PD. Please see their coordinates below : For the CIUSSS West Central Montreal – former constituent units – MAB-Mackay RC and Constance-Lethbridge RC : <ul style="list-style-type: none">➤ E-Mail : guichet.ditsadp.ccomtl@ssss.gouv.qc.ca➤ Phone number : 514-488-5552 extension 1250➤ Fax : 514-488-8132 For the CIUSSS du Centre-Sud-de-l'Île-de-Montréal former constituent units – Rehabilitation Institute Gingras-Lindsay, Lucie-Bruneau RC and Raymond-Dewar Institute : <ul style="list-style-type: none">➤ E-Mail : aeo-ditsadp.ccsmtl@ssss.gouv.qc.ca➤ Phone number : 514-514-527-4525➤ Fax : 514-510-2204

REMINDER

**Access Guichet ID-ASD-PD
for the 5 Montreal CIUSSS**

<p>Global Development Delay (GDD) 0-7 years-old</p>	<p><input type="checkbox"/> Diagnostic report following a development assessment concluding in the presence of a significant delay (greater than 2 standard deviations below the mean), in at least 2 of the following areas :</p> <ul style="list-style-type: none">• Fine or gross motor skills• Cognition• Communication• Personal and social development• Activities of daily living <p>A doctor or designated professional must confirm the diagnosis based on the impairments noted in the professional's report.</p> <p>An exception is made in the case of 0-7 year old children with a diagnosis of Down Syndrome. A medical assessment is sufficient.</p>
<p>Intellectual Disability (ID)</p>	<p><input type="checkbox"/> Report with psychological diagnosis must be produced by a psychologist or neuropsychologist considering all clinical data. Presence of an intellectual disability is based on the 3 following criterias, according to the DSM-5 :</p> <ul style="list-style-type: none">• Significant limitations in intellectual functioning<ul style="list-style-type: none">✓ Tools : WISC IV, WAIS III or other standardized tool• Significant limitations of adaptive behaviour<ul style="list-style-type: none">✓ Tools : Vineland, ABAS- II or other standardized tool.• Limitations occur within developmental period
<p>15 genetic syndromes linked to intellectual disability which do not need a psychological assessment</p>	<p><input type="checkbox"/> Trisomy 21 except for Mosaic Trisomy 21 (case by case)</p> <p><input type="checkbox"/> Cri du chat</p> <p><input type="checkbox"/> Smith-Magenis</p> <p><input type="checkbox"/> Williams, Williams & Beuren</p> <p><input type="checkbox"/> Hunter Syndrome (mucopolysaccharidosis II – except for light form)</p> <p><input type="checkbox"/> Sanfilippo Syndrome (mucopolysaccharidosis III)</p> <p><input type="checkbox"/> Scholz-Greenfield Syndrome (Metachromatic leukodystrophy)</p> <p><input type="checkbox"/> Smith-Lemli-Opitz Syndrome (SLOS)</p> <p><input type="checkbox"/> Lesch-Nyhan Syndrome</p> <p><input type="checkbox"/> Anencephaly</p>

REMINDER

**Access Guichet ID-ASD-PD
for the 5 Montreal CIUSSS**

	<ul style="list-style-type: none"><input type="checkbox"/> Microcephaly (primarily autosomal recessive disorder (MCPH))<input type="checkbox"/> Rett Syndrome<input type="checkbox"/> Angelman Syndrome<input type="checkbox"/> Cornelia de Lange Syndrome<input type="checkbox"/> Emanuel Syndrome
Autism Spectrum Disorder (ASD), social communication disorder or preliminary diagnosis of ASD	<p>Diagnosis is made by a doctor or a psychologist (psychological diagnosis) according to the Collège des médecins du Québec and to the Order of Psychologists of Quebec guidelines (2012).</p> <ul style="list-style-type: none"><input type="checkbox"/> A formal diagnosis implies a structured and rigorous approach detailing impairments on the communication and social interaction sides, as well as the restricted repertoire of activity and interests.<input type="checkbox"/> Diagnosis report is made following an in-depth assessment<input type="checkbox"/> Standardized tools are recommended